# Theses 2017

## Anatomy Bokariya P; Guide: Dr Doshi MA (PhD)

Effects of acyclovir, insulin and ondansetron on developing chick embryo: histological and histochemical study

## Barma MD; Guide: Dr Shende MR

Anthropometric measurements of type 2 diabetic patients with special emphasis on facial features

## Paul L; Guide: Dr Waghmare JE

Assessment of renal dimensions and its relationship with anthropometry

## Anesthesia Kumari P; Guide: Dr Jain S

Comparison of airway nerve blocks with topical lignocaine anesthesia using nebulizer – for awake fiberoptic nasal intubation of trachea

## Bhugra N; Guide: Dr Tidke S

A study comparing Kings LTS-D vs Combitube as a primary device for airway management during short general anesthesia

## Khandwe A; Guide: Dr Premendran B

Comparison of I-Gel (Intersurgical Inc., Berkshire, UK) supraglottic airway and Proseal laryngeal mask airway in pediatric patients under controlled ventilation

#### **Bhusal P; Guide: Dr Dhande PS**

An interventional randomized comparative study of laryngeal mask airway supreme with I-Gel in spontaneously breathing anesthetized adult patient

## Biochemistry Kar P; Guide: Dr Kumar S

Evaluation of paraoxonase-1 enzyme activity and oxidative stress to assess malignant transformation in oral cavity cancer

## Singh SK; Guide: Goswami K

Evaluation of rWbL2 based IgG4 antibody assay in the diagnosis of Bancroftian filariasis

## Chandankhede P; Guide: Goswami K

Study of clinico-epidemiological profile of patients seeking assessment of lipid panel markers in a tertiary care rural hospital and its diagnostic implication

#### **Community Medicine**

#### Kothekar P; Guide: Mehendale AM

Health literacy about antenatal, intranatal, postnatal and child health care among women of reproductive age group (15 to 45 years), the cross sectional study in tribal region of Central India

## Goswami S; Guide: Gupta S

Psychosocial and economic impact of oral cancer on patients and their caregivers: A community based qualitative study in Central India

#### Golhar H; Guide: Deshmukh PR

Assessment of readiness to quit tobacco use by using "stage of change" model among high school attendees: a cross sectional study

#### **Guha I; Guide: Maliye C**

Life skills of adolescent girls in relation to their self-concept developed through Kishori Panchayat in rural Wardha

#### **Bhagat V; Guide: Dambhare DG**

Study of magnitude and determinants of unmet need for contraception in a primary health centre area

## **Dermatology**

## Jakhar P; Guide: Dr Jain SP

Clinico-epidemiological study of acne vulgaris in rural central India

## **ENT** Ganeshkar R; Guide: Dr Nagpure PS

Study of the prevalence and management of maxillofacial fractures in patients attending trauma emergency department of a tertiary care hospital

#### Sonone J; Guide: Dr Puttewar M

Study of the relation of deviated nasal septum, anatomical variations of osteomeatal complex with chronic sinusitis and relation of chronic sinusitis with dental occlusion

#### **Forensic Medicine**

#### Khan S; Guide: Dr Tirpude BH

Assessment of cases of hanging with respect to demographic profile and neck injuries autopsied at a medical college in central India

## Ramteke R; Guide: Dr Murkey PN

Trends of poisoning cases in rural hospital of central India

#### Medicine Kulkarn

#### Kulkarni AR; Guide: Dr Jain J

Echocardiographic evaluation of cardiac function in chronic kidney disease: A cross sectional study

#### Chaudhari MA; Guide: Dr Jajoo UN

Prevalence of metabolic syndrome and its risk factors among rural adult population (age  $\geq$  35 years) in central India

#### Lalremmawia; Guide: Dr Kalantri SP

Intermediate syndrome and respiratory failure in acute organophosphorus pesticide self-poisoning

## Ballamwar AS; Guide: Dr Saxena A

Magnitude and determinants of anemia in patients of chronic kidney disease admitted in rural tertiary care hospital

## Patil TK; Guide: Taksande BA

Nerve conduction study of common peroneal nerve in patients of stroke

## Mukhija R; Guide: Jain V

Clinical and endoscopic profile of upper gastrointestinal bleed and its predictor of outcomes

## Microbiology

## Reang S; Guide: Dr Deotale V

Prevalence of ventilator associated pneumonia in adult indoor patients of rural hospital in central India

#### Roy S; Guide: Dr Narang R

Evaluation of rapid diagnostic test (RDT) against indirect immunofluorescence assay (IIA) and polymerase chain reaction (PCR) for diagnosis of scrub typhus in central India

#### Dev H, Guide: Dr Thamke D

A laboratory based study on distribution and virulence factors of *Malassezia* species isolated from patients of *Pityriasis versicolor* and dandruff

## **Obstetrics & Gynecology**

## Suman A; Guide: Dr Shivkumar PV

A prospective study of socio-demographic factors, maternal obstetric disorders, co-morbidities and events leading to maternal near miss and mortality in a rural tertiary care hospital

## Chaudhary P; Guide: Kumar P

A prospective study of comparison of risk of malignancy indices (RMIs) in evaluation of ovarian neoplasm at rural tertiary hospital in central India

## **Ophthalmology**

#### Sheikh A; Guide: Dr Shukla AK

Study of the prevalence and correlates of diabetic retinopathy with a non-mydriatic fundus camera among the known diabetic population in rural area

## Doye S; Guide: Dr Singh S

Study of binocular visual functions in isoametropic and anisometropic patients undergoing laser assisted in-situ keratomileusis (LASIK) surgery

#### Gawai P; Guide: Dr Dhabarde A

Clinical study of bacterial conjunctivitis in a rural based tertiary care hospital

## Singh S; Guide: Dr Bang P

Comparison of intraocular lens power and corneal topography in patients with primary pterygium before and after pterygium surgery

## Orthopedics Mote G; Guide: Guide: Dr Badole CM

Surgical management (open reduction and internal fixation) of distal humerus fracture and its functional outcome

## Zabeeh A; Guide: Dr Patond KR

Epidural steroid in management of chronic low back pain

## Pathology Gupta A; Guide: Dr Gangane N

Role of p53 and Her-2/neu as a prognostic biomarker in breast carcinoma

## Shougrakpam J; Dr Guide: Gupta A

Significance of HLA-B27 expression in cases of reactive arthritis

## Bandyopadhyay S; Guide: Dr Shivkumar VB Expression of galectin-3 in thyroid neoplasms

expression of gareetin's in thyroid neoplas

## Sonar A; Guide: Dr Anshu

CD10 stromal expression in invasive breast carcinomas and its prognostic value

## Pediatrics Dubey V; Guide: Dr Jain MA

Study of hepatic and myocardial dysfunction in term neonates with perinatal asphyxia

## Meshram P; Guide: Dr Bang AA

Utility of umbilical cord blood and peripheral venous blood parameters for predictors of neonatal sepsis and mortality in high risk newborns

## Pharmacology Kirde S; Guide: Dr Varma SK

An observational, cross-sectional study of monitoring of adverse drug reactions of anti-depressant drugs prescribed to patients visiting psychiatry department of a rural tertiary care teaching hospital of central India: A pharmacovigilance study

#### Das M; Guide: Dr Kale R

Drug utilization pattern in acne vulgaris in outpatient department of tertiary care hospital in rural India- A cross sectional study

#### Jankar B; Guide: Dr Gosavi DD

Comparative, observational, cross-sectional study of adverse drug reaction (ADR) profile of mood stabilizing drugs in the patients with bipolar disorder visiting Dept. of Psychiatry of a tertiary care teaching hospital of central India - A pharmacovigilance study

#### Physiology Bhattacharjee S; Guide: Dr Bansod N

A study of pulmonary function and cardiopulmonary efficiency of male swimmers

## Salve V; Guide: Dr Pawar S

Study of various electrophysiological indices for the diagnosis of peripheral neuropathy in type 2 diabetic patients in central India

## Psychiatry Kumar V; Guide: Dr Khairkar PH

Accessing the relationship between ABO & Rh blood groups with Dhat Syndrome and its psychiatry co-morbidities: a preliminary study

## Radiology Sonia; Guide: Dr Tayade A

Evaluation of fetal modified myocardial performance index in pregnancies complicated by diabetes

## Singh P; Guide: Dr Kale SK

MR evaluation of lumbar spine in low backache magnetic resonance imaging (MRI) evaluation of post traumatic knee joint

## Preetha K; Guide: Dr Kale SK

Evaluation of anatomical variations of paranasal sinuses on computed tomography

## Radiotherapy Birajdar M; Guide: Dr Vyas VJ

Hypofractionation radiotherapy in locally advanced head and neck cancer to select patient for radical treatment: A single institutional based experience

## Surgery Jawalekar P; Guide: Dr Gupta DO

Retrospective and prospective cliniopathological study of pattern of thyroid malignancies in rural tertiary care center in Central India

#### Ramsewak; Guide: Dr Rao S

Clinical manifestations and risk factors of necrotizing fasciitis

#### Rathod V; Guide: Dr Mehra BK

Comparison of clinico-pathological features with various subtypes of carcinoma breast based on immunohistochemistry markers in patients attending rural tertiary care hospital in central India

## Bushra S; Guide: Dr Jategaonkar

Prospective and retrospective study of clinical profile and risk factors for incisional hernia

## Theses 2018

#### Anatomy Bokariya P; Guide: Dr Doshi MA (PhD)

Effects of acyclovir, insulin and ondansetron on developing chick embryo: Histological and histochemical study

## Waghmare JE; Guide: Dr Anshu (MSc HPE)

Student and faculty perspectives about introducing early clinical exposure in pre-clinical teaching

#### Anesthesia Vyas A; Guide: Dr Dhande P

An observational study to look for the effectiveness of dexmedetomidine as an additive to ropivacaline in supraclavicular blocks in adults

#### Wandile P; Guide: Dr Tidke S

A comparative assessment of dexmedetomidine-propofol versus fentanylpropofol for insertion of laryngeal mask airway

#### Yadav N; Guide: Dr Jain S

Comparative evaluation of airway management and hemodynamics with the use of I-gel (Intersurgical gel), Proseal laryngeal mask airway and endotracheal tube in laparoscopic surgeries

#### Solanky R; Guide: Dr Dhande P

Prospective study on comparison of hemodynamic changes in general anesthesia with epidural and general anesthesia alone in laparoscopic surgery

#### **Community Medicine**

#### Prabhakar M; Guide: Dr Mehendale AM

Magnitude and determinants of gestational diabetes: A cross sectional study from field practice area of a medical college

#### Ture P; Guide: Dr Dambhare DG

Magnitude and determinants of psychological morbidities among pregnant women in a field practice area of a medical college in central India: A cross-sectional study

## **Dermatology**

#### Patrick S; Guide: Dr Kar S

Study of association between androgenic alopecia and metabolic syndrome in a tertiary health care centre in central rural India

## **ENT** Futane A; Guide: Dr Nagpure PS

Study of the pattern of etiopathogenesis and management modalities in oral malignancy in tertiary care hospital

#### Sheikh E; Guide: Dr Nagpure PS

Correlation of the pure tone audiometry findings with intraoperative findings in patients with tubotympanic chronic suppurative otitis media and study of its surgical outcome

#### **Forensic Medicine**

#### Chaphalkar K; Guide: Dr Tirpude BH

Evaluation of victims of assault registered under Clinical Forensic Medicine Unit of a tertiary care hospital in central India.

#### Medicine

#### Agrawal B; Guide: Dr Kalantri SP

Acute undifferentiated febrile illness in patients presenting to a tertiary care teaching Hospital in central India: Etiology, clinical spectrum and outcome

## Khan S; Guide: Dr Jain J

Prevalence of dementia in elderly diabetics: A case control study from rural hospital in Central India.

#### Dhake V; Guide: Dr Taksande B

Study of peripheral nervous system in sickle cell anemia

#### Thokal D; Guide: Dr Saxena A

Predictors of mortality and length of hospital stay in elderly patients admitted to medicine intensive care unit in a rural tertiary care hospital.

#### Soni P; Guide: Dr Jain V

Clinico-demographic profile and clinical outcomes of patients requiring ventilation support in a tertiary care intensive care unit of a rural teaching medical college: A prospective cohort study.

#### Microbiology

#### Saha D; Guide: Dr Deotale V

A study of risk factors and organisms causing surgical site infection and their antimicrobial susceptibility in a tertiary care hospital

## **Ophthalmology**

#### Gupta GL; Guide: Dr Shukla AK

Screening of known diabetic patients for diabetic retinopathy assessment of need for treatment and visual outcome of treatment

#### Garkal P; Guide: Dr Singh S

Study of tear function before and after laser assisted in situ keratomileusis (Lasik) surgery in a tertiary care rural hospital

#### Verma S; Guide: DrDhabarde A

Epidemiological profile, risk factors and presentation of cataract in pre-senile age

#### Yadav A; Guide: Dr Bang P

Study of effects of epidemiological factors on quality of donor cornea

## Orthopedics Roy S; Guide: Dr Badole CM

Primary cemented bipolar hemiarthroplasty in unstable osteoporotic intertrochanteric fractures in elderly: A prospective study

## Hatwar R; Guide: Dr Patond KR

Functional outcome of open reduction and internal fixation of fracture proximal humerus with proximal humerus internal locking osteosynthesis (PHILOS) plate

#### Pathology Gorte T; Guide: Dr Gangane N

Comparison between automated and manual method of reticulocyte count

## Rathod R; Guide: Dr Gupta A

Role of CD4 and CD8 positive T-cells in breast cancer progression and outcome

#### Shirbhate P; Guide: Dr Shivkumar VB

A comparative study between routine and rapid microwave tissue processing and staining using a kitchen microwave oven in histopathology laboratory

#### Gawai S; Guide: Dr Anshu

An immunohistochemical study of HBME-1 expression in lesions of the thyroid

## Pediatrics Ambade M; Guide: Dr Jain M

Prospective study of spectrum of respiratory distress in newborns in rural medical college of central India

## Sarkar C; Guide: Dr Bang A

Comparative study of pressure control ventilation versus volume control ventilation in pediatric ICU patients needing mechanical ventilation

## Pharmacology Quazi S; Guide: Dr Verma SK

Evaluation of anti-diabetic and wound healing activity of hydro-alcoholic extract of *Syzygiumcumini* seeds in Wistar rats

## Psychiatry Joge V; Guide: Dr Mishra KK

Correlation of salivary cortisol level, parental psychopathology, minor physical anomalies, intelligent quotient and severity of aggression in diagnosed cases of conduct disorder versus normal resilient children

#### Radiology Bhoyar M; Guide: Dr Tayade AT

Comparison of breast sonoelastography with conventional sonography in evaluation of solid breast lumps

#### **Kynjing D; Guide: Dr Kale SK**

Role of transvaginal ultrasonography in evaluation of clinically suspected cases of ectopic pregnancy

## Radiotherapy KalbandeP; Guide: Dr Vyas VJ

Dosimetric comparison between 3D conformal radiotherapy (field in field) and intensity modulated radiotherapy in post mastectomy breast cancer patients

#### Gupta A; Guide: Dr Gupta DO Surgery

Surgical audit of laparoscopic cholecystectomy among patients in a rural hospital of central India

## **Kumar S; Guide: Dr Mehra BK**

A comparative study of primary inguinal hernia self-fixating mesh repair under local anesthesia with polypropylene mesh repair under spinal anesthesia

## Aswar A; Guide: Dr Jategaonkar PA

Surgical audit of laparoscopic appendectomy in rural tertiary health care center in central India

# Theses 2019

#### Anesthesia Rat

#### Rathi S; Guide: Jain Sudha

A randomized controlled study for comparative evaluation of pre-emptive single dose analgesia with pregabalin versus lumbar epidural analgesia using bupivacaine in adult patients undergoing laparoscopic surgeries on postoperative pain and hemodynamics.

#### Jha N; Guide: Tidke S

The effect of nebulized ketamine in decreasing the incidence and severity of post operative sore throat after endotracheal intubation in patients receiving general anaesthesia

#### Kathane N; Guide: Dhande P

Comparative study between 0.5% ropivacaine with fentanyl and 0.5% bupivacaine with fentanyl in USG guided supraclavicular brachial plexus block in upper limb surgeries

#### Katrale S; Guide: Dhande P

A comparison of hemodynamics and ease of intubation in intubating the trachea using intubating laryngeal mask airway after induction versus awake fiberoptic bronchoscopy in patients with difficult airway

## **Community Medicine**

#### Somkuwar M; Guide: Mehendale AM

Quality assessment of Home Based Newborn Care in field practice area of a rural medical college: a cross sectional study with mixed methods

## Jha A; Guide: Maliye C

Magnitude and determinants of psychological morbidities among pregnant women in a field practice area of a medical college in central India: A cross-sectional study

## Dermatology

## Manwar P; Guide: Kar S

Clinico-epidemiological study of facial hypermelanosis in females in rural tertiary care center in central India- a cross sectional study

## Bansode D; Guide: Jain Sonia

Assessment of effectiveness of oral zinc therapy as anadjunct to intralesional Measles, Mumps, Rubella vaccine in patients of common verruca vulgaris in rural tertiary care centre of central India

## ENT Pethe N; Guide: Nagpure PS

To study he anatomical variations and difficulties in endoscopic dacryocystitis in tertiary health care centre – A descriptive study

2019-2020

## Akulwad S; Guide: Nagpure PS

Clinical Profile of sinonasal masses at tertiary based hospital in India

## Medicine Naik S; Guide: Kalantri SP

Diagnostic accuracy of 20-minute whole blood clotting test (WBCT20) to detect coagulopathy in snake envenomation

## More S; Guide: Jain Jyoti

Profile of non-tuberculous Mycobacteria in progressive pulmonary disease in rural tertiary care hospital in central India incorporating use of gelatin coated face masks for collection of samples

## Prasad D; Guide: Taksande B

Study of cognitive functions in the patients of vitamin B12 deficiency in rural tertiary care center of central India

## Awaghate S; Guide: Saxena A

Magnitude of drug-resistant pulmonary tuberculosis (DR-TB) in outpatients and inpatients of department of Medicine in a rural tertiary care teaching hospital located in central India: A cross-sectional study

## Microbiology Patond A; Guide: Narang Rahul

Diagnostic efficacy of TB loop mediated isothermal amplification (LAMP), Cartridge nucleic acid Amplification (CBNAAT) and Mycobacterial growth indicator tube (MGIT) liquid culture for extra-pulmonary TB using latent class analysis

# Obstetrics & Gynecology

#### Singh N; Guide: Tayade S

DIPSI Guidelines to estimate the prevalence and feto maternal outcome in gestational diabetes mellitus- A study in rural population

## Thool P; Guide: Jain Shuchi

Prospective study of maternal serum vitamin D levels as high risk factor for preterm labour and its effect on maternal and neonatal outcome in a rural tertiary health care setting

#### Ophthalmology

#### More A; Guide: Shukla AK

Assessment of effect of LASER treatment on central macular thickness and visual status in patients of diabetic retinopathy

## Tayade T; Guide: Singh S

Assessment of central corneal thickness and IOL power after LASIK surgery

## Pednekar N; Guide: Dhabarde A

A clinical study on fundus changes in pregnancy induced hypertension in tertiary health care centre

## Peddawad S; Guide: Bang Puja

Screening for assessment of refractive error strabismus and amblyopia in preschool and primary school children

## Orthopedics Tyagi D; Guide: Badole CM

A study of functional outcome of distalfemoral fracture treated with locking compression plate

## Pawara S; Guide: Patond KR

Open reduction and internal fixation offracture clavicle treated with precontoured clavicle plate, clinical study

## Pathology Wagle B; Guide: Gangane NM

Role of aspase-3 as a prognostic biomarker in breast carcinoma

#### Gulhane P; Guide: Gupta Anupama

Role of natural killer Cells in clinicohistological presentation of breast cancer

## Fulzele N; Guide: Shivkumar VB

Expression of Cyclin D1 in normal, hyperplastic, malignant endometrium

#### Watti A; Guide: Anshu

Immunoexpression of Cyclin D1 in breast carcinoma

## Pediatrics Chohatkar P; Guide: Jain Manish

Antibiotic stewardship in NICU

#### Kawale K; Guide: Bang Akash

Estimation of the incidence of intrauterine and extra-uterine growth restriction among the babies born in rural tertiary teaching hospital and risk factors associated with it

## Pharmacology Anjum A; Guide: Verma Sushil Kumar

Drug utilization of corticosteroids in department of dermatology at tertiary care teaching hospital in rural India A cross sectional study

## Psychiatry Ahmed R; Guide: Mishra KK

A cross- sectional study for assessmentand comparison of the magnitude and pattern of substance abuse in diagnosedcases of bipolar affective disorder and schizophrenia in a rural medical college

## Patil V; Guide: Mishra KK

A study of thrombocytopenia and hypokalemia in alcohol withdrawal delirium in tertiary health care center in rural India

## Radiology Telrandhe B; Guide: Tayade AT

Role of ultrasound elastography to distinguish metastatic from reactive lymph nodes in patients with primary head and/or neck cancers

## Hogale M; Guide: Kale SK

Fetal foot length as a parameter for prediction of gestational age in 15-40 weeks of pregnancy

## Radiotherapy

## Mittal A; Guide: Vyas VJ

Prospective randomized study to compare concurrent chemoradiotherapy with concomitant boost radiotherapy in terms of overallresponse and quality of life in locallya dvanced head and neck cancer

## Surgery

## Uplenchwar S; Guide: Gupta Dilip

Clinical studies and management of urolithiasis in patients admitted in rural hospital in central India

## Kumar K; Guide: Mehra B

Autologous platelet rich plasma infusion in diabetic ulcers

## Mewada S; Guide: Jategaonkar P

A randomised control study of elective laparoscopic cholecystectomy with and without abdominal drainage

## Pardeshi P; Guide: Rao S

Study of clinicoepidemiological profile and management of acute scrotum

## Thesis 2020

## Anesthesia Kathane N; Guide: Dhande P

Comparative study between 0.5% ropivacaine with fentanyl and 0.5% bupivacaine with fentanyl in usg guided supraclavicular brachial plexus block in upper limb surgeries.

#### Jha N; Guide: Tidke S

The effect of nebulized ketamine in decreasing the incidence and severity of post operative sore throat after endotracheal intubation in patients receiving general anaesthesia.

#### Katrale S; Guide: Dhande P

A comparison of hemodynamics and ease of intubation in intubating the trachea using intubating laryngeal mask airway after induction versus awake fiberoptic bronchoscopy in patients with difficult airway.

#### Rathi S; Guide: Jain S

A randomized controlled study for comparative evaluation of pre-emptive single dose analgesia with pregabalin vs. Lumbar epidural analgesia using bupivacaine in adult patients undergoing laparoscopic surgeries on postoperative pain and haemodynamics.

## **Community Medicine**

#### Sarinkumar P S; Guide: Dambhare D

Development and validation of a tool to assess home environment conducive to child development for young children"

#### Joshi S; Guide: Maliye C

Impact of package of intervention promoting responsive feeding practices on nutritional status and eating behaviour of infants and young children. A cluster randomized controlled study.

#### Kolhe R; Guide: Gupta SS

Association of Father's participation in responsive caregiving at 3 - 6 months of age with child development outcomes at 16 - 18 months of age: A cohort study

## Muneshwar K; Guide: Gupta SS

A study to assess quality of complementary feeding and determinants of inadequate complementary feeding practices among mothers of children aged 6-24 months in rural area of central India: A cross sectional study with mixed methods.

## Dermatology Nandwani S; Guide: Kar S

A cross-sectional study of mucocutaneous manifestations in patients with End Stage Renal Disease on hemodialysis at a rural tertiary care hospital in central India.

#### Deshmukh A; Guide: Jain S

Association between AcanthosisNigricans and Metabolic syndromes at rural tertiary care hospital in Central India: A case control study.

#### **ENT** Karad P; Guide: Nagpure PS

Evaluation of nasal obstruction in a tertiary health care Centre."

## Kumar S VS; Guide:Garg D

A prospective observational study of Endoscopic Septoplasty and Surgical Outcome in a Rural based Tertiary Health care Hospital.

#### Medicine Agrawal B; Guide:Kalantri SP

Acute Undifferentiated Febrile illness in patients presenting to a tertiary care Teaching Hospital in central India: Etiology ,Clinical Spectrum and Outcome

#### Khan S; Guide: Jain J

Prevalence of dementia in elderly diabetics: A case control study from rural hospital in Central India.

#### Dhake V; Guide: Taksande B

Study of peripheral nervous system in sickle cell anemia

## Thokal D; Guide:Saxena B

Predictors of mortality and length of hospital stay in elderly patients admitted to medicine intensive care unit in a rural tertiary care hospital.

## Soni P; Guide: Jain V

Clinico-demographic profile and clinical outcomes of patients requiring ventilation support in a tertiary care intensive care unit of a rural teaching medical college: a prospective cohort

## Microbiology Kumari S; Guide: Thamke D

Prevalence of invasive candiadiasis in a rural tertiary care hospital: An Observational study.

#### Obstetrics & Ganorkar S; Guide: Jain S

# **Gynecology** Assessment of Growth Restricted fetus with special reference to Doppler studies and its perinatal outcomes

## Ophthalmology BhosaleN; Guide: ShuklaA K

Visual Outcome of Cataract Surgery After Small Incision Cataract Surgery (SICS) or Phacoemulsification In Diabetic And Non-Diabetic Patients.

## RathiN; Guide: Singh S

To Study The Effect Of Laser Assisted In –Situ Keratomileusis (LASIK) Surgery On Ratio of Axial Length To Corneal Radius Curvature In Eyes With Refractive Error

#### SundarkarT; Guide: Dhabarde A

A Clinical Profile of ProptosisIn A Rural Based Tertiary Care Hospital

## Barghare T; Guide: ShuklaA K

A Study of the Prevalence of Concomitant Squint Among Primary School Children and an Evaluation of Their Binocular Functional Outcome Following Surgical Management"

## Orthopedics Wankhede A; Guide: Badole CM

Functional outcome of patellar fractures treated by open reduction and internal fixation : A prospective study

#### Rathod H; Guide: Patond KR

Hospital based cross sectional study of osteoporosis in men with proximal femur fractures by peripheral DEXA

#### Pathology Kotalwar K; Guide: Gangane N

Role of Caspase 8 as a prognostic biomarker in breast carcinoma

## Hagone S; Guide: Gupta A

FoxP3 expression and overall survival in breast cancer

## Vaidya V; Guide: Shivkumar VB

Audit of transfusion practices in a rural tertiary care hospital

#### Bhutia D; Guide: Anshu

Immunohistochemical expression of cyclin D1 in lesions of the thyroid

## Pediatrics Itihas A; Guide: Jain M

Umbilical cord blood gases analysis and composite neonatal outcome –A Cohort study

#### Kolhe S; Chauhan V

Prospective study of early and immediate outcome of preterm neonates in rural Medical College in Central India.

#### Pharmacology Rajput AS; Guide: Varma SK

To study the effect of wound healing activity of Musa Balbisiana sp. peel after application of low molecular weight heparin and anti-inflammatory activity on Wister Albino Rats.

#### Pandhare S; Guide:Gosavi DD

Adverse drug reaction of anticraving agents like Baclofen, Naltraxone and acamprosate in relapse prevention of alcohol withdrawal syndrome: observational prospective study

## Gorjelwar P; Guide:Kale R

Transfusion related adverse reaction in patients admitted in medicine department at tertiary care teaching hospital in central india.

#### Psychiatry Ahmed; Guide: Mishra KK

A cross- sectional study for assessmentand comparison of the magnitude and pattern of substance abuse in diagnosedcases of bipolar affective disorder and Schizophrenia in a rural medical college

## Patil V; Guide: Mishra KK

A study of thrombocytopenia andhypokalemia in alcohol withdrawaldelirium in tertiary health care center inrural India

## Radiology Sood A; Guide: Tayade AT

Association of Biochemical Parameters and Risk factors with Non Alcoholic Fatty liver disease in adults

#### Chavan N; Guide: Kale SK

"Role of Magnetic Resonance Imaging in Evaluation of Bone Tumours with Histopathological Correlation in Radiograph Suspected Patients in Rural Tertiary Care".

## Radiotherapy Deshmukh M; Guide: Vyas V

Experimental study to compare hypofractionated radiotherapy v/s conventional concomitant chemoradiotherapy in terms of overall response, toxicity profile and quality of life in head and neck cancers

#### Surgery PiyushDhaigude P; Guide:Jategaonkar P

A Prospective comparative study of perioperative complication of total extraperitonial hernia repair under general anaesthesia and Lichtenstein repair under local anaesthesia in rural tertiary care center.

#### Shah J; Guide: Gupta DO

Evaluation of Peptic Ulcer Perforation with a new prognostic scoring system.

## Kakade R; Guide: Gupta DO

APACHE II Score in assessing surgical outcome in patients of perforation peritonitis

## Page S; Guide:Pande R

"Comparative Study of Local and systemic antibiotics in prevention of surgical site infections"

## Thesis 2021

## Anesthesia Patil M; Guide: Premendran B

Assessment of the diagnostic accuracy of BEMPU Tempwatch in detecting perioperative hypothermia in neonates undergoing surgery.

## Agrawal S; Guide: Tidke S

Comparative evaluation efficacy of Ropivacaine and Bipivacaine in Ultrasound guided TransversusAbdominis plane(TAP) Block for post-operative analgesia following lower abdominal surgeries under spinal anaesthesia in rural tertiary hospital.

#### Aouta G; Guide: Jain S

A Randomized Controlled Trial for Comparison of Inj. Nalbuphine Hydrochloride Versus Inj. Tramadol Hydrochloride for Treatment of Perioperative Shivering in Regional Anaesthesia.

## Manikanta G; Guide: Dhande P

Comparison of videolaryngoscope versus McCoy laryngoscope of rtracheal intubation in cervical spine surgeries.

## **Community Medicine**

#### Nagtode N; Guide: Gupta SS

Effect of a package of nurturing care interventions on nutritional outcome of children 0 to 24 months – a mixed method study

## Patil P; Guide: Gupta SS

Role of verbal autopsy in investigating the causes of adults deaths in tribal district of Central India

#### KhandreR; Guide: Raut A

A study of nutritional status among the elderly and its association with health outcomes in selected villages from district in Central India

#### SophiyaK; Guide: Dambhare D

Effect of personalized structured counselling by the health care providers versus Information Communication and Education using Information and Communications Technology on the adverse treatment outcomes of Tuberculosis patients – a non randomized study

## Chavan T; Guide: Maliye C

Assessment of adolescent girl's communication on sexual and reproductive health matters with parents in rural India

## Dermatology Bansode D; Guide: Jain S

Assessment of effectiveness of oral zinc therapy as an adjunct to intralesional Measles, Mumps, Rubella vaccine in patients of common verruca vulgaris in rural tertiary care centre of central India.

## ENT Ambika N; Guide: Nagpure PS

Status of Eustachian Tube in Cases with Persistent Ear Discharge

## More S; Guide: Nagpure PS

Comparative Study of Tympanoplasty (Type 1) in Patients of Chronic Suppurative Otitis Media (Mucosal Type) using Cartilage Graft Versus Temporalis Fascia Graft

#### Medicine More S; Guide: Jain J

Profile of Non Tuberculous Mycobacteria in Progressive Pulmonary disease in Rural Tertiary care hospital in central India Incorporating use of gelatin coated face masks for collection of samples

## AwaghateS; Guide: Saxena B

Magnitude of Drug-Resistant Pulmonary Tuberculosis (DR-TB) in outpatients and inpatients of Department of Medicine in a rural tertiary care teaching hospital located in central India: a cross-sectional study

#### Naik S; Guide: Kalantri SP

Diagnostic Accuracy of 20-minute Whole Blood Clotting Test (WBCT20) to detect coagulopathy in snake envenomation

#### Prasad DVSR; Guide: Taksande B

Study of cognitive functions in the patients of vitamin B 12 deficiency in rural tertiary care centre of central India.

# Obstetrics & Gynecology

#### Mishra U: Guide: Shivkumar PV

A comparative study of maternal and fetal outcome in epidural analgesia and entonox inhalation analgesia in laboring women at a rural tertiary care center

## Anand N; Guide: Kumar P

Comparison of delayed cord clamping and umbilical cord milking in preterm new born at a tertiary care center in Central India- A randomized control trial study

## Kadam S; Guide: Jain S

Comparative evaluation of trans cervical Foleys catheter and intravaginal misoprostol for pre-induction cervical ripening

## Sarao PK; Guide: Shivkumar PV

Association between obesity and bacterial vaginosis assessed by nugent score in central India, a cross sectional study

## Solanke N; Guide: Shivkumar PV

Perception and experience of women and health care providers by the presence of female birth companion for Labour Support and itseffect on maternal and foetal outcomes

#### Ranade M; Guide: Jain S

Using quality improvement strategy for improving the existing obstetric triaging practices in a rural tertiary care maternal and child health wing – An operational research

#### Ophthalmology Deshmukh S Guide: ShuklaAK

## Desimiukii 5 Guide: ShukiaAk

Optical coherence tomography study of retinal ganglion cell layer thickness in eyes with open angle glaucoma

## Yadav V; Guide: Singh S

Change in corneal aberrations and contrast sensitivity in eyes undergoing laser assisted in-situ Keratomileusis (LASIK) in a tertiary care rural hospital

#### Shaikh A; Guide: Dharbarde A

A clinical study on narrow angle glaucoma in tertiary care hospital

#### Waingankar B; Guide: Singh S

Assessment of visual outcome after cataract surgery in a tertiary rural hospital

## Orthopedics RengarlaS; Guide: Badole CM

Functional outcome of Bipolar Hemiarthoroplasty in Displaced intracapsular femoral neck fracture in elderly in rural tertiary hospital

## Jagdale A; Guide: Patond KR

Open reduction internal fixation of displaced bicondaler fracture tibia with plating on one side and cannulated cancellous screws on the other side of the tibia.

## Parshuramkar A; Guide: Jain P

Function outcome of treatment of per trochanteric fracture femur by using proximal femoral locking plate: follow up study.

#### Lohakare A; Guide: Wandile K

Assessment of functional outcomes after surgical management of closed bimalleolar ankle factures

#### Pathology Oommen SA; Guide: Gangane N

To evaluate the diagnostic accuracy of CBNAAT in comparison to FNAC in suspected cases of tubercular lymphadenitis

## Khalale P, Guide: Gupta A

Assessment of CD4 CD8 lymphocytes counts in children (2—12 years) with iron deficiency anaemia

## Muda N, Guide: Shivkumar VB

Tumour budding in infiltrating breast carcinoma and its correlation with other prognostic factors – A cross-sectional study

#### Sarda K, Guide: Anshu

Assessment of pathological response after neoadjuvant chemotherapy in mastectomy specimens from patients of breast carcinoma

#### Pediatrics KulkarniK; Guide: Jain M

Various Drugs Used and Outcome of Neonates Admitted in NICU in A Tertiary Health Care Centre: Observational Study.

#### Nongrum J; Chauhan V

A study of Electrolyte Imbalance in Children (1-15 years) on Admission in Pediatric Intensive Care Unit Study in A Tertiary Care Hospital

## Kamble S; Jategaonkar S

Clinical Manifestation, Etiology of Severe Anemia in Children of Age 6 months to 12 years, admitted in Tertiary Care Hospital.

#### Pharmacology Baheti A; Guide: Chirmurkar L

Evaluation of antidiabetic and antioxidant activity of Limoniaacidissima leaves in alloxan-induced diabetic wistar albino rats

#### Psychiatry Reshamwala A; Guide: Mishra KK

A cross- sectional study for assessmentand comparison of the magnitude and pattern of substance abuse in diagnosed cases of bipolar affective disorder and Schizophrenia in a rural medical college of Central India

#### Patil V; Guide: Mishra KK

A study of thrombocytopenia and hypokalemia in alcohol with drawaldelirium in tertiary health care center inrural India

## Radiology Sabale D; Guide: Tayade AT

Placental shear wave elastography and pulse wave deppler evaluation in pregnancies complicated with pre-eclampsia

## Tiwari S; Guide: Tayade AT

Efficacy of b-mode ultrasound and pulse doppler in characterization of neoplastic adnexal masses

#### Chakraborty A; Guide: Kale SK

Correlation between Fetal Renal Volume and Fetal Doppler in Normal and IUGR Fetuses.

#### Chaudhary A; Guide: Kale SK

Role of Sonoelastography to Differentiate Benign from Malignant Thyroid Nodule.

## Radiotherapy Kale P; Guide: Vyas V

A Prospective – Randomized Controlled Trial on Dosimetric Comparison of 3D-CRT versus IMRT Technique in Pelvic Irradiation of Cancer Cervix Patients

## Surgery Bochare G; Guide: Gupta DO

Study of clinical profile and outcome of blunt trauma abdomen.

## SatwickB; Guide: Gupta DO

Profile of extrapulmonary tuberculosis (EPTB) in a rural tertiary care hospital in central India using newer diagnostic tools for confirmation of clinical cases

## Tiple K; Guide: Pande R

A Prospective comparative study of TEPP with or without drain

## Mohammad I; Guide: Jategaonkar PA

A prospective comparative study of perioperative complication of manual shaving versus depilation cream in preopp preparation